

## Favorite Solutions

# Turn heads with your favorite films.

From stunning graphics to eye-catching colors, these films were made to get you noticed. They're loaded with the features you need for faster and easier installations and removals. So you can create one-of-a-kind graphics on vehicles, walls and signage.

- ► 3M<sup>™</sup> Scotchlite<sup>™</sup> Print Wrap Film 780mC-10R
- ► 3M<sup>™</sup> Envision<sup>™</sup> Print Wrap Films SV480mC and LX480mC
- ► 3M<sup>™</sup> Print Wrap Film IJ180mC
- ► 3M<sup>™</sup> Controltac<sup>™</sup> Print Film 40C and 3M<sup>™</sup> Envision<sup>™</sup> Print Film 48C-20R
- ► 3M<sup>™</sup> Scotchcal<sup>™</sup> Translucent Graphic Film Series 3630 and 3M<sup>™</sup> Envision<sup>™</sup> Translucent Film Series 3730
- ► 3M<sup>™</sup> Wrap Film Series 1080

#### FAVORITE SOLUTIONS

Product	Description	Film	Key Overlaminates
780mC-10R	3M <sup>™</sup> Scotchlite <sup>™</sup> Print Wrap Film 780mC-10R	Reflective	8518, 8519, 8520, 8548G, 8549L
SV480mC/LX480mC	3M <sup>™</sup> Envision <sup>™</sup> Print Wrap Film SV480mC 3M <sup>™</sup> Envision <sup>™</sup> Print Wrap Film LX480mC	Opaque	8548G, 8549L
IJ180mC	3M™ Print Wrap Film IJ180mC	Opaque	8518, 8519, 8520, 8915 8548G, 8549L, 8900
40C	3M™ Controltac™ Print Film 40C	Opaque	8518, 8519, 8520, 8508, 8509, 8510M
48C-20R	3M™ Envision™ Print Film 48C-20R	Opaque	8048G, 8050M
3630/3730	3M <sup>™</sup> Scotchcal <sup>™</sup> Translucent Graphic Film Series 3630 3M <sup>™</sup> Envision <sup>™</sup> Translucent Film Series 3730	Translucent	3658G, 3660M
1080	3M™ Wrap Film Series 1080	Solid-Color	8900

#### ▲ 1080

Separate yourself from the pack. Give clients the individuality they demand. Stay miles ahead of the trends with the newest and hottest wrap films and finishes.

#### ▲ 780mC-10R

Upgrade to this unique reflective film that brings your design to life with 24/7 vibrancy. Get robust properties like conformability, efficient installation and reflectivity at wide angles for increased safety.

#### ▲ IJ180mC-114, Clear

Mix printed images with clear areas to create ultra-cool, neverbeen-done-before designs with a subtly massive effect.

#### ▲ 40C

48C-20R (non-PVC)

You'll love the slide, tack, snap-up and air release that can help you cover windows, walls, floors, signs, partial vehicle graphics and more.

## ▼ SV480mC and LX480mC High-performance technology goes

greener to revolutionize the way you wrap. Our ultra-versatile, non-PVC film gives you excellent print quality, plus a breakthrough boost in attributes.



#### ▲ 3730

Customize the brightness and energy efficiency of your illuminated signs with 3M™ Envision™ Translucent Films and Flexible Substrates.





#### **▲** 1080

#### ▲ LX480mC

Wrap vehicles faster with excellent liner release, slideability, initial tack and air release.

▲ IJ180mC-10

Get unparalleled performance with a sustainability edge with this versatile print wrap film.

Customize any vehicle with the latest colors plus get easy installation and damage-free removal.

Product	Description	Film	Key Overlaminates	Product Advantages
780mC-10R*	3M™ Scotchlite™ Print Wrap Film 780mC-10R	Reflective	8518, 8519, 8520 8548G, 8549L	<ul> <li>Robust properties enable conformability</li> <li>Heat recovery minimizes bruising</li> <li>Reflectivity at wide viewing angles</li> </ul>
SV480mC LX480mC	3M <sup>™</sup> Envision <sup>™</sup> Print Wrap Film SV480mC 3M <sup>™</sup> Envision <sup>™</sup> Print Wrap Film LX480mC	Opaque	8548G, 8549L	All that IJ180mC offers and more, non-PVC, 150% stretch, excellent for installation in extreme temps, horizontal warranty
IJ180mC-10 IJ180mC-114 IJ180mC-120	3M™ Print Wrap Film IJ180mC-10, IJ180mC-114, IJ180mC-120	Opaque/Clear/ Metallic	8518, 8519, 8520, 8548G, 8549L, 8528, 8900, 8915	Excellent for wraps, 130% stretch, medium/low initial tack, slideability, air release and snap-up
IJ180mC-10UR	3M™ Print Wrap Film IJ180mC-10UR	Opaque	8518, 8519, 8520, 8900	Ultra-removable adhesive removes cleanly without heat or chemicals
IJ180mC-10LSE	3M™ Print Wrap Film IJ180mC-10LSE	Opaque	8518, 8519, 8520, 8548G, 8549L, 8528, 8900	Industry favorite for wraps, 130% stretch, slideability, pressure sensitive and snap-up
IJ180mC-10SLS	3M™ Print Wrap Film IJ180mC-10SLS	Opaque	8518, 8519, 8520, 8548G, 8549L, 8528, 8900	Industry favorite for wraps, 130% stretch, slideability, pressure activated and snap-up
IJ180Cv3	3M <sup>™</sup> Controltac <sup>™</sup> Graphic Film with Comply <sup>™</sup> v3 Adhesive IJ180Cv3	Opaque	8518, 8519, 8520, 8548G, 8549L, 8528, 8915	Industry favorite for trailers and box trucks, 130% stretch, slideability, air release and snap-up
IJ175Cv3	3M™ Print Wrap Film IJ175Cv3	Opaque	8518, 8519, 8520, 8548G, 8549L, 8528, 8915	Excellent for wraps, low initial tack, 130% stretch, slideability, air release and moderate removal
IJ8150	3M <sup>™</sup> Scotchcal <sup>™</sup> Clear View Graphic Film IJ8150	Transparent	8914, 8518	Optical clarity with excellent printability in a durable and even conformable film     Print unique effects, even see-through images
8170-P50	3M™ Window Film 8170-P50	Perforated	8914, 8518	<ul> <li>As a cast vinyl, offers excellent lifting resistance and durability</li> <li>Offered with 50/50 perforation pattern</li> </ul>
IJ67	3M <sup>™</sup> Scotchcal <sup>™</sup> Perforated Window Film IJ67	Perforated	8518, 8914	<ul> <li>60/40 perforation pattern</li> <li>Removable adhesive for easy updates</li> <li>For budget-minded, short-term applications</li> </ul>
40C-10R 40C-20R 40C-114R	3M™ Controltac™ Print Film 40C-10R, 40C-20R, 40C-114R	Opaque/Clear	8518, 8519, 8520	<ul> <li>Go-to, multi-use film</li> <li>For flat or simple curves</li> <li>7-year expected performance life</li> </ul>
48C-20R	3M™ Envision™ Print Film 48C-20R	Opaque	8048G, 8050M	Non-PVC with all the versatility of 40C For flat or simple curves Easy application and removal
Solid-Color Fil	ms			
1080	3M <sup>™</sup> Wrap Film Series 1080	Solid-Color	8900	Ready to use right out of the box — with or without graphic protection     Features slideable and repositionable pressure-activated adhesive with non-visible air release channels, removable
180mC	3M <sup>™</sup> Controltac <sup>™</sup> Graphic Film with Comply <sup>™</sup> Adhesive Series 180mC	Solid-Color	8900	Film series 180mC with micro Comply™ Adhesive has non-visible air release channels for fast and easy, bubble-free graphic installations
7725/7125	3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7725/7125	Solid-Color ElectroCut™	1920DR, 9740i	<ul> <li>2-mil premium films designed for electronic cutting and thermal transfer</li> <li>7725 moisture-resistant synthetic liner lays flat and won't split</li> <li>Flat and flat with rivets</li> </ul>
SC50	3M <sup>™</sup> Scotchcal <sup>™</sup> Graphic Film Series SC50	Solid-Color	1920DR, 9740i	3-mil intermediate films designed for electronic cutting and thermal transfer     Excellent cutting and weeding and removable adhesive     For flat or simple curves

<sup>\*</sup>This product is not yet intended for plotter or die-cut applications.



Windows and Glass

# Turn window shoppers into customers.

Picture windows differently. See them as amazing real estate opportunities for longor short-term branding. You'll help customers look their best — at the value they need — with design options from our comprehensive portfolio of window films.

#### **40C-114R**

Get expanded design options with knockouts using this removable clear film.



#### ▲ IJ8150

Create designs for vehicle, building or display windows using effects like translucent, frosted or even see-through graphics.


#### ▲ 8170-P50

Enjoy excellent see-through capability with 50% perforation pattern.

#### **▲ IJ67**

Keep your messaging fresh — low tack, perforated with removable adhesive makes changing it clean and easy.

Product	Description	Film	Key Overlaminates	Product Advantages
40C-114R	3M™ Controltac™ Print Film 40C-114R	Clear	8508, 8509, 8510M	<ul> <li>Easy, dry-apply installation</li> <li>Up to 7-year expected performance life</li> <li>Removable film for easy updates</li> </ul>
IJ8150	3M™ Scotchcal™ Clear View Graphic Film IJ8150	Transparent	8914, 8518	Optical clarity with excellent printability in a durable and even conformable film     Print unique effects, even see-through images
8170-P50 8170-P40	3M <sup>™</sup> Window Film 8170-P50 3M <sup>™</sup> Window Film 8170-P40	Perforated	8914, 8518	<ul> <li>As a cast vinyl, offers excellent lifting resistance and durability</li> <li>50/50 perforation pattern with 8170-P50</li> <li>60/40 perforation pattern with 8170-P40</li> </ul>
IJ61	3M™ Changeable Graphic Film IJ61	Clear	N/A	First or second surface     Wet or dry application     Changeable adhesive for easy removal
IJ67	3M™ Scotchcal™ Perforated Window Film IJ67	Perforated	8518, 8914	60/40 perforation pattern     Removable adhesive for easy updates     For budget-minded, short-term applications
7725/7125	3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7725/7125	Solid-Color ElectroCut™	1920DR, 9740i	2-mil premium films designed for electronic cutting and thermal transfer     7725 moisture-resistant synthetic liner lays flat and won't split     Clear adhesive for two way viewing
SC50	3M™ Scotchcal™ Graphic Film Series SC50	Solid-Color	1920DR, 9740i	3-mil intermediate films designed for electronic cutting and thermal transfer     Excellent cutting and weeding and removable adhesive     Clear adhesive for two way viewing
Decorative Polyester	3M™ Decorative Polyester Glass Finish	Transparent	N/A	Clear glass finish that can be used to create custom color and design with UV inkjet or UV screen printing
Glass Finishes	3M™ FASARA™ and Crystal™ Glass Finishes	Transparent	N/A	Decorative glass and window films to integrated branding, as well as control both light and privacy through a building's interior glass, including the interior of an outside glass wall
DICHROIC Film	3M™ DICHROIC Films	Transparent	N/A	Appears to change color when viewed at various angles





#### ▲ FS-1

Engineered to be nearly twice as transmissive, which means more efficient use of LEDs and energy.

\*Unprocessed Envision™ Flexible Substrate FS-1 provides nearly twice the light transmission as unprocessed Panagraphics™ III Substrate (23% ± 3%).

#### **▲** 3730

Delivers high light transmission levels and allows for the ability to customize the brightness and efficiency of illuminated signs.\*\*

\*\*Most graphics using film series 3730 on diffuser film 3735-50 provide more light transmission than other graphics using 3M™ Scotchcal™ Translucent Film Series 3630 on 3M™ Diffuser Film 3635-30.

Product	Description	Film	Key Overlaminates	Product Advantages
FS-1	3M™ Envision™ Flexible Substrate FS-1	Translucent	3658G, 3660M	<ul> <li>Designed for use with LED light sources</li> <li>Up to 9 years of outdoor durability — backed by the 3M™ MCS™ Warranty</li> <li>For inkjet direct printing, film and cut film decoration</li> </ul>
3730	3M <sup>™</sup> Envision <sup>™</sup> Translucent Film Series 3730	Translucent	3658G, 3660M	<ul> <li>Designed for use with LED light sources</li> <li>Available in standard colors (many with PANTONE® references) and custom colors</li> <li>Up to 9 years of outdoor durability — backed by the 3M™ MCS™ Warranty</li> </ul>
IJ3730	3M™ Envision™ Translucent Film IJ3730	Translucent	3658G, 3660M	<ul> <li>Designed for use with LED light sources</li> <li>Up to 6 years of outdoor durability — backed by the 3M™ MCS™ Warranty</li> <li>Solvent, UV and latex inkjet printable</li> </ul>
P3	3M <sup>™</sup> Panagraphics <sup>™</sup> III Wide Width Flexible Substrate	Translucent	3658G, 3660M	<ul> <li>Wide width, splice free for seamless backlit signs</li> <li>Up to 9 years of outdoor durability — backed by the 3M™ MCS™ Warranty</li> <li>For inkjet direct printing, film and cut film decoration</li> </ul>
3630	3M™ Scotchcal™ Translucent Graphic Film Series 3630	Translucent	3658G, 3660M	<ul> <li>Available in standard colors (many with PANTONE® references) and custom colors</li> <li>Up to 9 years of outdoor durability — backed by the 3M™ MCS™ Warranty</li> <li>Designed for fluorescent lighting applications</li> </ul>
IJ3630-20	3M™ Scotchcal™ Translucent Graphic Film IJ3630-20	Translucent	3658G, 3660M	<ul> <li>Solvent, UV and latex inkjet printable</li> <li>Matte surface finish eliminates glare and provides uniform color in reflected and transmitted light</li> <li>Up to 6 years of outdoor durability — backed by the 3M™ MCS™ Warranty</li> </ul>
IJ3650-114	3M™ Scotchcal™ Graphic Film Series IJ3650-114	Translucent	3658G, 3660M	<ul> <li>Solvent, UV and latex inkjet printable</li> <li>Up to 6 years of outdoor durability — backed by the 3M™ MCS™ Warranty</li> <li>Matte surface finish eliminates glare and provides uniform color in reflected and transmitted light</li> </ul>



Floors and Sidewalks Buildings and Walls

# Change the landscape and grow your business.

3M's lineup of versatile films allows you to transform almost any surface into a business-growing opportunity. Cover floors and sidewalks with promotional messaging to generate traffic. Transform buildings and walls to create larger-than-life branding experiences. These durable films feature the performance and image quality you need to keep your messaging looking great for years to come.

#### **48C-20R**

Ideal for so many applications, this non-PVC film does it all — indoors and out.



#### **▲ 40C**

Get the versatility you need to cover windows, walls, floors, signs, partial vehicle graphics and more.

#### ▲ 780mC-10R

Conformable on demand — even on compound curves, corrugations and textured surfaces.

#### ▲ LX480mC

Install 50% faster\* on textured walls with this ultra-versatile non-PVC print wrap film.

\*Compared to 3M cast vinyl.

FLOORS				
Product	Description	Film	Key Overlaminates	Product Advantages
40C-10R 40C-20R 40C-114R	3M™ Controltac™ Print Film 40C-10R, 40C-20R, 40C-114R	Opaque/Clear	8509, 3645	<ul> <li>Indoor, short-term promotional programs</li> <li>Removable adhesive for easy updates</li> <li>Can be used for other applications</li> </ul>
48C-20R	3M™ Envision™ Print Film 48C-20R	Opaque	8050M, 3645	<ul> <li>Non-PVC film with removable adhesive</li> <li>Indoor, short-term promotional programs</li> <li>Can be used for other applications</li> </ul>
SIDEWALKS				
Product	Description	Film	Key Overlaminates	Product Advantages
3662-10	3M™ Scotchcal™ Graphic Film 3662-10	Opaque	3647	For exterior sidewalk applications     Excellent hiding power     Screen print only
<b>BUILDINGS AND</b>	D WALLS			
Product	Description	Film	Key Overlaminates	Product Advantages
780mC-10R	3M™ Scotchlite™ Print Wrap Film 780mC-10R	Reflective	8518, 8519, 8520 8548G, 8549L	Robust, reflective film conforms to textured walls
SV480mC LX480mC	3M <sup>™</sup> Envision <sup>™</sup> Print Wrap Film SV480mC 3M <sup>™</sup> Envision <sup>™</sup> Print Wrap Film LX480mC	Opaque	8549L (textured walls), 8520, 8915, 8600	All that IJ180mC offers and more, non-PVC, 150% stretch, excellent for textured surfaces like brick or stucco, and smooth walls
IJ180mC-10 IJ180mC-114 IJ180mC-120	3M™ Print Wrap Film IJ180mC-10, IJ180mC-114, IJ180mC-120	Opaque Clear Metallic	8520, 8915, 8519, 8520 8549L, 8600	For smooth walls, reliable adhesion, durability, slideability, air release and snap-up
180mC	3M <sup>™</sup> Controltac <sup>™</sup> Graphic Film with Comply <sup>™</sup> Adhesive Series 180mC	Solid-Color	8900	Film series 180mC with micro Comply™ Adhesive Technology has non-visible air release channels for fast and easy, bubble-free graphic installations
40C-10R 40C-20R 40C-114R	3M™ Controltac™ Print Film 40C-10R, 40C-20R, 40C-114R	Opaque/Clear	8508, 8509, 8510M	Go-to, multi-use film for flat/simple curves  Excellent printability  7-year expected performance life
48C-20R	3M™ Envision™ Print Film 48C-20R	Opaque	8048G, 8050M	Non-PVC with all the versatility of 40C For flat or simple curves Easy application and removal
IJ35C	3M <sup>™</sup> Scotchcal <sup>™</sup> Graphic Film with Comply <sup>™</sup> Adhesive Series IJ35C	Opaque	8508, 8509, 8510M	For budget-priced applications where removability isn't a concern
IJ39-20	3M™ Scotchcal™ High Tack Graphic Film IJ39-20	Opaque	8508, 8509, 8510M	High-tack adhesive for hard-to-stick surfaces     Sticks to many low-surface energy plastics
7725/7125	3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7725/7125	Solid-Color ElectroCut™	1920DR, 9740i	2-mil premium films designed for electronic cutting and thermal transfer     7725 moisture-resistant synthetic liner lays flat and won't split     Flat and flat with rivets
SC50	3M™ Scotchcal™ Graphic Film Series SC50	Solid-Color	1920DR, 9740i	3-mil intermediate films designed for electronic cutting and thermal transfer     Excellent cutting and weeding and removable adhesive     For flat or simple curves

11



Other Signs and Displays

### Get the right film. Right where you need it.

Be prepared for any marketing opportunity with versatile films that can cover a lot of territory. Available with various performance features and adhesion qualities, these films help you cover windows, walls, floors, signs, partial vehicle graphics and more with ease.

#### **440C**

The versatility and practicality your customers demand. Slideability and air-release channels enable fast, easy, bubble-free installation.



#### **480**

Use this 100% printer compatible, non-PVC film for a variety of sign applications.

#### ▲ IJ35C

Optimized print surface lets you create outstanding graphics with gloss or matte finishes.

OTHER SIGNS AN	Description	Film	Key Overlaminates	Product Advantages
40C-10R 40C-20R 40C-114R	3M™ Controltac™ Print Film 40C-10R, 40C-20R, 40C-114R	Opaque/Clear	8508, 8509, 8510M	Go-to, multi-use film for flat/simple curves     Excellent printability     7-year expected performance life
48C-20R	3M <sup>™</sup> Envision <sup>™</sup> Print Film 48C-20R	Opaque	8048G, 8050M	Non-PVC with all the versatility of 40C     For flat or simple curves     Easy application and removal
IJ35C	3M™ Scotchcal™ Graphic Film with Comply™ Adhesive IJ35C	Opaque	8508, 8509, 8510M	<ul> <li>Air release channels for easy, bubble-free installations</li> <li>Gray adhesive for hiding power, making it easy to cover outdated promotions</li> <li>Budget-friendly price</li> </ul>
IJ180mC-10 IJ180mC-114 IJ180mC-120	3M™ Print Wrap Film IJ180mC-10, IJ180mC-114, IJ180mC-120	Opaque Clear Metallic	8520, 8915, 8519, 8549L	For general signs, reliable adhesion, durability, slideability, air release and snap-up
IJ680CR	3M <sup>™</sup> Scotchlite <sup>™</sup> Removable Reflective Film with Comply <sup>™</sup> Adhesive IJ680CR	Reflective	Various	For signs that are seen during the day and are reflective at night
IJ5100R	3M™ Scotchlite™ Reflective Graphic Film 5100R/IJ5100R	Reflective	Various	For signs that are seen during the day and are reflective at night
Solid-Color Films				
180mC	3M™ Controltac™ Graphic Film with Comply™ Adhesive Series 180mC	Solid-Color	8900	Film series 180mC with micro Comply™ Adhesive Technology has non-visible air release channels for fast and easy, bubble-free graphic installations
7725/7125	3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7725/7125	Solid-Color ElectroCut™	1920DR, 9740i	2-mil premium films designed for electronic cutting and thermal transfer     7725 moisture-resistant synthetic liner lays flat and won't split     Flat and flat with rivets
SC50	3M™ Scotchcal™ Graphic Film Series SC50	Solid-Color	1920DR, 9740i	3-mil intermediate films designed for electronic cutting and thermal transfer     Excellent cutting and weeding and removable adhesive     For flat or simple curves





#### ▲ 8548G

8048G

8050M

8418G

8508 8509

8510M

8548G

8549L

3658G

KEY OVERLAMINATES

A more environmentally friendly overlaminate that's versatile enough to wrap vehicles, boats, buildings and more.

Description

3M<sup>™</sup> Envision<sup>™</sup> Gloss Overlaminate 8048G

3M™ Envision™ Matte Overlaminate 8050M

3M<sup>™</sup> Scotchcal<sup>™</sup> Gloss Overlaminate 8508

3M<sup>™</sup> Scotchcal<sup>™</sup> Luster Overlaminate 8509

3M™ Scotchcal™ Matte Overlaminate 8510M

3M<sup>™</sup> Scotchcal<sup>™</sup> Gloss Overlaminate 8518

3M<sup>™</sup> Scotchcal<sup>™</sup> Luster Overlaminate 8519

3M<sup>™</sup> Scotchcal<sup>™</sup> Matte Overlaminate 8520

3M<sup>™</sup> Scotchcal<sup>™</sup> Gloss Overlaminate 8528

3M<sup>™</sup> Décor Overlaminate 8600

3M<sup>™</sup> Wrap Overlaminate Series 8900

3M<sup>™</sup> Envision<sup>™</sup> Gloss Wrap Overlaminate 8548G

3M<sup>™</sup> Envision<sup>™</sup> Luster Wrap Overlaminate 8549L

3M<sup>™</sup> Scotchcal<sup>™</sup> Optically Clear Overlaminate 8914 3M<sup>™</sup> Scotchcal<sup>™</sup> Ultra-Matte Overlaminate 8915

3M<sup>™</sup> Scotchcal<sup>™</sup> Gloss Overlaminate 3658G

3M<sup>™</sup> Scotchcal<sup>™</sup> Matte Overlaminate 3660M

3M<sup>™</sup> Scotchcal<sup>™</sup> Thin Gloss Overlaminate 8418G

#### ▲8600

Add texture and depth to printed graphics with our new embossed overlaminates for smooth, interior walls.

### Type Gloss Matte Gloss Gloss Luster

Matte

Gloss

Luster

Matte

Gloss

Gloss

Luster

Classic Linen

White Fir Plaster Sparkle

Brushed Carbon Fiber

Ultra-Matte

Gloss

Gloss

Matte

Riverbed

#### ▲ 8900

Enhance the appearance and durability of your printed graphics or solid films.

#### The secret to success.

Get professional results using professional installation tools.



3M™ Finish Line Knifeless Tape Easily cuts most vinyl wrap films complete installations without a blade.



3M™ Bridge Line Knifeless Tape Evenly cuts graphics bridging from one panel to the next.



3M<sup>™</sup> Air Release Tool 391x Punctures applied film to remove air bubbles.



**3M<sup>™</sup> Hand Applicator PA1-Blue** and PA1-Gold



Reusable squeegee-type applicator for smoothing film during installs.



3M™ Adhesion Test Kit for **SMOOTH Substrates ATK-1** Instructions, instruments and film samples to perform adhesion value testing.



Geek Wraps® Power Slam Magnets Holds film to vehicle during installation without damaging the vehicle or graphics.



exhaust areas.

3M™ Roller L (large) 3M™ Roller S (small) Finishing tool for vehicle channels.



Geek Wraps® Air Wrangler **Torch Roller** Helps to apply film to rivets and textured surfaces.

Geek Wraps® Heat Gun Grip

Adheres around heat gun body,

staying clear of hot sections and



3M<sup>™</sup> Perf Line Knifeless Tape Cuts uniform margins between window graphics and rubber moldings.



3M™ Design Line Knifeless Tape Engineered to create highly contoured designs with sharp, clean edges.



**3M™ Power Grip Rivet Brush Applicator RBA-3** Burnishes film over rivets.



**Applicator CMP-1** Designed for installing 3M™ Controltac™ Graphic Films with Comply<sup>™</sup> Adhesive over rivets.

3M™ Power Grip Magic Pad Rivet



Geek Wraps® Soft Edge

Geek Wraps® Wrap Juice

For use with Comply<sup>™</sup> Adhesive

films to help squeegees easily

glide over warmed film.

Micro-fiber edge does not heat up and

absorbs water from the edges of film.

Squeegee

3M™ Rapid Roller **Applicator CPA-2** Exclusively for applying 3M<sup>™</sup> Controltac™ Graphic Films with Comply<sup>™</sup> Adhesive.



Geek Wraps® Emblem

Removes emblems intact without

damaging the vehicle's paint.

Removal Tool

3M™ Vehicle Channel **Applicator Tool VCAT-2** Helps to conform film into vehicle channels.



**3M™ Textured Surface Applicator TSA-2** Conforms heated film to mortar joints and inside corners.



Applicator TSA-3 Conforms heated film around cut edges and in corners.

**3M™ Textured Surface** 





3M™ Tri Line Knifeless Tape (6mm and 9mm)

Ensures accurate, consistent stripe width from one end of the vehicle to the other.



3M™ Rivet Brush Applicator Helps to install films over rivets.



3M<sup>™</sup> Power Grip Multi-Pin Air Release Tool MPP-1 Uniquely designed to release the air

around rivets in one single motion.





3M™ Textured Surface Applicator TSA-1 Conforms large areas of film onto textured surfaces.



**3M<sup>™</sup> Power Grip Applicator for** 3M™ Comply™ Adhesive Films CPA-1 Covers large areas with uniform pressure distribution.



3M™ Two-Handled Textured Surface **Applicator TSA-4 for Large Area** Increases installation productivity. Requires heat gun (not included).



## Once we have you covered, you're covered.

#### **3M Basic Product Warranty**

Prepare to be amazed. Just stunning graphics, guaranteed. Many factors that affect the functionality of our adhesive-backed graphic film are covered.

#### **3M Performance Guarantee**

When 3M<sup>™</sup> MCS<sup>™</sup> Warranty approved inks aren't an option, try a 3M Performance Guarantee for specific 3M inkjet products with qualified and tested OEM inks.

#### 3M<sup>™</sup> MCS<sup>™</sup> Warranty

The most comprehensive finished graphics warranty in the industry. When you use finished graphics made with all 3M Graphics products and components, you're protected for virtually any application.



## All warranty coverage is contingent upon using 3M Graphics products as described in the applicable 3M Graphics Product and Instruction Bulletins found at 3Mgraphics.com/TechInfo.

## Be recognized as the best.

**3M Graphics Installation Programs** 


Professional installers who complete unique 3M installation testing programs will be designated as the best in the business. If your installation skills need a little fine tuning, we can give you personalized advanced training to prepare you for an installer testing program.



Get three days of personal, hands-on training from 3M Graphics Authorized Trainers. Practice your skills on 11 stations to prepare you for the testing programs listed here.



Once at least one of your installers successfully completes all testing and requirements, your company will be promoted on 3M.com/GraphicsInstaller and UASG.org.



Successfully passing this assessment will increase your status as an installer. You'll be listed as a 3M Preferred Graphics Installer on the Locate an Installer link on 3M.com/GraphicsInstaller.



Qualified 3M Graphics Installers will get hands-on training using 3M™ Knifeless Tape technology. Once you've successfully completed the 3M Endorsed Knifeless Tape assessment, you'll be recognized by your customers and peers for your commitment to excellence.



Find out how to be the best at 3M.com/InstallationPrograms.

Printal	ole Films	APF	PLICATI	ONS						ABILITY RANTIE		PLICAT	ION SU	RFACE	s		FILM CH	ARACTERIS	STICS			ADHESIVE				IMAGIN METHO	NG DD LINER	₹ _	AVAILABILITY	
NUMBER	IJ MEDIA	Trailers/Box Trucks	Vehicle Wraps Watercraft	Transit Label	Signage Backlit Signage-Non	Backliř Awning	Smooth Walls Textured Walls & Surfaces	Window or Glass Floor	Expected Performance Life	3M" MCS" Warranty	Flat	Flat with Rivets	Corrugated	Compound	Curves Deep Channels Concave	Substrates Textured Wall & Surfaces	Material	Cast or Non-Cast	Thickness (mils)	Face Finish	Opaque/ Translucent/ Transparent/ Perforated/ Retroreflective/ Metallic	Adhesive Color	Characteristics	Permanent Removable*	Changeable/ Ultra-Removable	Inkjet-Solvent/ Eco-Solvent Inkiet-UV	Inkjet Latex Polyethylene- Coated Paper	Polyester Layflat Kraft Paper	Roll widths (in inches), Core sizes (in inches)	Roll lengths (in yards unless otherwise specified)
Printable Fili	ms																													
40C-10R 40C-20R	3M™ Controltac™ Print Film 40C-10R, 40C-20R	•	•	•	•		•	•	7		•		•	•			Vinyl	Non-Cast	3	G,M	1 Opaque	Gray with hiding powe	Pressure-Activated with Air Release Channels	•		•	•		30, 54, 60; 3, 6	50/100/200
40C-114R	3M™ Controltac™ Print Film 40C-114R	•	•	•	•		•	• •	7		•		•	•			Vinyl	Non-Cast	3	G,M	1 Transparent	Clear	Pressure-Activated with Air Release Channels	•		• •	• •		30, 54, 60; 3, 6	50/100/200
48C-20R	3M™ Envision™ Print Film 48C-20R	•	•	•	•		•	• •	5		•		•	)			Non-PVC	Non-Cast	3	М	Opaque	Gray with hiding powe	Pressure-Activated with Air Release Channels	•		• •	• •		54; 3	50
780mC-10R	3M™ Scotchlite™ Print Wrap Film 780mC-10R	•	• •	•	•		•		9	•	•	•	• •	•		•	Vinyl	N/A	7	L	Retroreflective	Clear	Pressure-Activated	•		• •	• •		48; 3, 6	25/50/100
8170-P40 8170-P50	3M™ Window Film 8170-P40 and 8170-P50							•	3	•	•		•	•			Vinyl	Cast	4	G	Opaque/Perforated	Clear	Pressure-Sensitive	•		•	• •		36, 53.5; 3, 6	10/25/50
IJ160	3M <sup>™</sup> Controltac <sup>™</sup> Graphic Film IJ160	•		• •	•		•	• •	7	•	•	•	•	•			Vinyl	Non-Cast	4	М	Opaque	Gray	Pressure-Activated	•		• •	• •		30, 48, 54, 60; 3, 6	50/100/150/200
IJ160C	3M™ Controltac™ Graphic Film with Comply™ Adhesive IJ160C	•		• •	•		•	•	7	•	•	•	•	)			Vinyl	Non-Cast	4	М	Opaque	Gray	Pressure-Activated with Air Release Channels	•		• •	• •		30, 48, 54, 60; 3, 6	50/100/150/200
IJ170Cv3	3M <sup>™</sup> Scotchcal <sup>™</sup> Graphic Film with Comply <sup>™</sup> v3 Adhesive IJ170Cv3	•	• •	• •	•		•	•	10	• •	•	•	• •	•			Vinyl	Cast	2	L	Opaque	Gray	Pressure-Sensitive with Non-Visible Air Release channels	•		• •	• •		54, 60; 3, 6	25/50/100/200
IJ180	3M™ Controltac™ Graphic Film IJ180	•	• •	• •	•	•	•	•	10	•	•	•	• •	•	•		Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated	•		• •	• •		30, 36, 48, 54, 60; 3, 6	25/50/100/200
IJ180mC-10SLS	3M <sup>™</sup> Print Wrap Film IJ180mC-10SLS	•			•				10	•	•	•	• •	•			Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels	•		• •	• •		48, 54, 60; 3, 6	25/50/100/200
IJ180C	3M <sup>™</sup> Controltac <sup>™</sup> Graphic Film with Comply <sup>™</sup> Adhesive IJ180C	•	• •	• •	•		•	•	10	•	•	•	• •	•	•		Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated with Air Release Channels	•		• •	• •		30, 36, 48, 54, 60; 3, 6	25/50/100/200
IJ180mC-10LSE	3M <sup>™</sup> Print Wrap Film IJ180mC-10LSE			•					10	•	•	•	•	•			Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels	•		• •	• •		48, 54, 60; 3, 6	25/50/100/200
IJ180Cv3	3M™ Controltac™ Graphic Film with Comply™ v3 Adhesive IJ180Cv3	•	• •	• •	•		•	•	10	•	•	•	• •	•	•		Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels	•		• •	• •		30, 36, 48, 54, 60; 3, 6	25/50/100/200
IJ175Cv3	3M™ Controltac™ Graphic Film with Comply™ v3 Adhesive IJ175Cv3	•	• •	• •	•		•		10	•	•	•	• •	•	•		Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels	•		• •	• •		54, 60; 3, 6	50/100/200
IJ180mC-10	3M <sup>™</sup> Print Wrap Film IJ180mC-10	•	• •	• •	•		•	•	10	•	•	•	• •	•	•		Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels	•		• •	• •		30, 36, 48, 54, 60; 3, 6	25/50/100/200
IJ180mC-114	3M <sup>™</sup> Print Wrap Film IJ180mC-114	•	• •	• •	•		•	•	10	•	•	•	• •	•	•		Vinyl	Cast	2	L	Transparent	Clear	Pressure-Activated with Non-visible Air Release Channels	•		• •	• •		48, 54, 60	25/50/100/200
IJ180mC-120	3M <sup>™</sup> Print Wrap Film IJ180mC-120	•	• •	• •	•		•	•	10	•	•	•	• •	•	•		Vinyl	Cast	2	L	Metallic	Gray	Pressure-Activated with Non-visible Air Release Channels	•		• •	• •		54, 60	25/50/100/200
IJ180mC-10UR	3M™ Print Wrap Film IJ180mC-10UR	•	•	•	•		•	•	8	•	•	•	•	•			Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels		•	• •	• •		48, 54, 60; 3, 6	50/100/200
IJ35-10 IJ35-20	3M <sup>™</sup> Scotchcal <sup>™</sup> Graphic Film IJ35-10 and IJ35-20			•	•		•		5		•		•	)			Vinyl	Non-Cast	3.2	G,M	1 Opaque	Gray with hiding power	r Pressure-Sensitive	•		• •	•	•	30, 54, 60.5; 3, 6	50/100/200
IJ3555	3M <sup>™</sup> Scotchcal <sup>™</sup> Changeable Graphic Film IJ3555	•		•	•		•	•	2	•	•	•	•	,			Vinyl	Non-Cast	4	М	Opaque	Gray with hiding powe	Pressure-Sensitive		•	• •	• •		30, 54, 60; 3, 6	50/100/150/200
IJ35C-10 IJ35C-20	3M <sup>™</sup> Scotchcal <sup>™</sup> Graphic Film with Comply <sup>™</sup> Adhesive Series IJ35C			•	•		•		5		•		•	)			Vinyl	Non-Cast	3.2	G,M	1 Opaque	Gray with hiding power	Pressure-Sensitive with Air Release channels	•		• •	•	•	30, 54, 60.5; 3, 6	50/100/200
IJ36-20	3M™ Transit Ad Graphic Film IJ36-20	•		•	•				1		•		•	,			Vinyl	Non-Cast	3.4	М	Opaque	Gray with hiding powe	Pressure-Sensitive		•	• •	•	•	54, 61.5; 3, 6	50/100/200
IJ3630-20	3M <sup>™</sup> Scotchcal <sup>™</sup> Translucent Graphic Film IJ3630-20				•	•		•	7	•	•		•	)	•		Vinyl	Cast	2	М	Transparent	Clear	Pressure-Sensitive	•		• •	• •		48, 54, 60; 3, 6	50/100/150/200
IJ3650-10	3M <sup>™</sup> Scotchcal <sup>™</sup> Graphic Film Series IJ3650-10	•		•	•	•	•		10	•	•	•	•	,	•		Vinyl	Cast	2	L	Opaque/Perforated	Gray	Pressure-Sensitive	•		• •	•	•	30, 48, 54, 60; 3, 6	25/50/100/150/200
IJ3650-114	3M <sup>™</sup> Scotchcal <sup>™</sup> Graphic Film Series IJ3650-114	•		•	• •	•	•	•	8	•	•	•	•	)	•		Vinyl	Cast	2	L		Clear	Pressure-Sensitive	•		• •	• •		48, 54, 60; 3, 6	50
IJ3730	3M™ Envision™ Translucent Film IJ3730				•	•		•	7	•	•		•	,	•		Vinyl	Cast	2	М	Transparent	Clear	Pressure-Sensitive	•		• •	•	•	54; 3, 6	50/100/150/200
IJ380Cv3	3M™ Controltac™ Wrap Film with Comply™ v3 Adhesive IJ380Cv3		• •						10	•	•	•	• •	•	•		Vinyl	Cast	2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels	•		• •	• •		54; 3	25/50
IJ39-20	3M™ Scotchcal™ High Tack Graphic Film IJ39-20	•		•	•		•		5		•		•				Vinyl	Non-Cast	3.5	М	Opaque	Clear	Pressure-Sensitive	•		• •	•	•	54; 3	50
IJ46-20	3M™ Transit Wrap Graphic Film IJ46-20	•		•	•		•		1		•		•	)			Vinyl	Non-Cast	4	М	Opaque	Gray with hiding powe	Pressure-Sensitive		•	• •	•	•	54, 60; 3, 6	50/100/200
IJ5000	3M™ Scotchlite™ Reflective Graphic Film 5000/IJ5000	•		•					1.5	•	•	•	•				Vinyl	N/A	6	L	Retroreflective	Clear		•		• •			48; 3	50
IJ5100	3M™ Scotchlite™ Reflective Graphic Film 5100/IJ5100	•		• •					7	•	•	•	•	)			Vinyl	N/A	7	L	Retroreflective	Clear	Pressure-Sensitive	•		• •	• •		48; 3	10/50
IJ5100R	3M™ Scotchlite™ Reflective Graphic Film 5100R/IJ5100R	•		• •					7	•	•	•	•				Vinyl	N/A	7	L	Retroreflective	Clear	Pressure-Sensitive	•		• •	• •		48; 3	10/50
IJ61	3M™ Changeable Graphic Film IJ61				•			•	1		•		•	)			Vinyl	Non-Cast	3	G	Transparent	Clear	Pressure-Sensitive		•	• •	•	•	54; 3	50
IJ63-20	3M™ Scotchcal™ Changeable Translucent Graphic Film IJ63-20				• •			•	1		•		•	•			Vinyl	Non-Cast	3.2	М	Translucent	Clear	Pressure-Sensitive		•	• •	•	•	54; 3, 6	50/100/200
IJ67	3M™ Scotchcal™ Perforated Window Film IJ67	•		•				•	1		•		•				Vinyl	Non-Cast	5.9	М	Opaque	Clear	Pressure-Sensitive	•		• •	• •		27, 54; 3	10/25/50
IJ680	3M™ Scotchlite™ Reflective Graphic Film IJ680	•		• •					9	•	•	•	•				Vinyl	N/A	7	L	Retroreflective	Clear	Pressure-Activated	•		• •	• •		36, 48; 3, 6	50/100
IJ680CR	3M <sup>™</sup> Scotchlite <sup>™</sup> Removable Reflective Film with Comply <sup>™</sup> Adhesive IJ680CF	?		• •					9	•	•	•	•	)			Vinyl	N/A	7	L	Retroreflective	Clear	Pressure-Activated with Air Release Channels	•		• •	• •		36, 48; 3, 6	50/100
IJ8150	3M <sup>™</sup> Scotchcal <sup>™</sup> Clear View Graphic Film IJ8150	•	•	•	• •			•	7	•	•		•	•			Vinyl	Cast	2	G	Transparent	Clear	Pressure-Sensitive		•	• •	•	•	54, 60; 3	25/50
IJ8624	3M <sup>™</sup> Scotchcal <sup>™</sup> Graphic Film for Textured Surfaces IJ8624						•		7		•		•	)		•	Vinyl	Cast	2	L	Opaque	Gray	Pressure-Sensitive	•		•	•		30, 54; 3, 6	25/50/100/200
LX480mC	3M™ Envision™ Print Wrap Film LX480mC	•	• •	• •	•		• •	•	11	•	•	•	• •	•	•	•	High Perfo	rmance non-P	PVC 2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels	•		•	• •		48, 54, 60; 3, 6	
SV480mC	3M™ Envision™ Print Wrap Film SV480mC	•	• •	• •	•		• •	•	11	•	•	•	• •	•	•	•	High Perfo	rmance non-P	PVC 2	L	Opaque	Gray	Pressure-Activated with Non-visible Air Release Channels	•		• •	•		48, 54, 60; 3, 6	50/100/200

\*Removable with heat (some products will also require chemicals). See Product Bulletins.

	ucents, Flexible	APPL	ICATIONS				DURA WARF	ANTIES AP	PLICATION	SURFACES		FILM CI	HARACTER	RISTICS			ADHESIVE	:		IMAGIN METHOI	D LINER	AVAILABILITY	
Graph	rates, Colored Films and ic Protection	ilers/Box icks	hicle Wraps atercraft insit	nage Backlit nage-Non cklit	rning rooth Walls ctured Walls &	rfaces ndow or Glass or	oected rformance Life	arranty i	t with Rivets rrugated	mpound rves	ncave miners xible bstrates tured Wall & faces	ıterial	st or n-Cast	ickness (mils)	ce Finish	aque/ instacent/ insparent/ forated/ troreflective	hesive Color		rmanent movable angeable/	ra-Removable jet-Solvent o-Solvent jet-UV	jet Latex yethylene- ated Paper	yester Layflat 8ft Paper II widths inches) inches) inches)	Roll lengths (in yards unless otherwise specified)
NUMBER	IJ MEDIA	Tra	Tra Ke	Sig Sig Ba	Aw Sm	Sul Xi	P X P	P. V.	E O	sis Son G	Sul Sul	Σ	a S	译	Fac	O Tra	Ad	Characteristics	<u> </u>	그 그의 그	로 돌양	og Sri Sri	Sp. d. p. g. sp.
Translucents	s																						
3630/3730	3M™ Scotchcal™ Translucent Graphic Film Series 3630 3M™ Envision™ Translucent Film Series 3730			•			7				•	Vinyl	N/A	2	L	Translucent	Clear	Pressure-Sensitive	•			48, 60*	50 ft
lexible Sub	ostrates																						
FS-1	3M™ Envision™ Flexible Substrate FS-1			•			6				•	Vinyl	N/A	20	L	Translucent	N/A			• •	•	79, 98, 102, 126, 150, 165, 197	164 ft
23	3M™ Panagraphics™ III Wide Width Flexible Substrate			•			6	•			•	Vinyl	N/A	20	L	Translucent	N/A			• •	•	59, 79, 98, 102, 126, 150, 165, 197	164 ft
Colored Filn	ms																						
SC50	3M™ Scotchcal™ Graphic Film Series SC50	•	• •				5	•		•		Vinyl	Non-Cast	3	G,M	Opaque	Clear	Pressure-Sensitive	•			• 15, 24, 30, 36, 48; 3	5/50
080	3M™ Wrap Film Series 1080	•	• • • •				7	•		• •		Vinyl	Cast	3.5	G,M,I	L Opaque	Gray	Pressure-Activated with Air Release Channels	•		•	• 60;3	5/10/25/50
80mC	3M <sup>™</sup> Controltac <sup>™</sup> Graphic Film with Comply <sup>™</sup> Adhesive 180mC	•	• • • •	•			10	•	• •	• •		Vinyl	Cast	3	G,M,I	L Opaque	Gray	Pressure-Activated with Air Release Channels	•		•	15, 24, 30, 36, 48, 60 (varies by color	or) 50/100/150/20
125	3M <sup>™</sup> Scotchcal <sup>™</sup> ElectroCut <sup>™</sup> Graphic Film Series 7125	•	• •	·			8	•	•	•		Vinyl	Cast	3	G,M,I	L Opaque	Clear	Pressure-Sensitive	•			• 15, 24, 30, 48, 60; 3, 6	5/50/100/200
725	3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7725	•	• •	•			8	•	•	•		Vinyl	Cast	3	G,M,I	L Opaque	Clear	Pressure-Sensitive	•			• 15, 24, 30, 48, 60; 3, 6	5/50/100/200
Graphic Pro	tection																						
1920DR	3M™ Screen Print Dirt Resistant Gloss Clear 1920DR	•	•	•			5	•				N/A	N/A	N/A	N/A		Clear		•	• •	•	N/A	N/A
3619	3M <sup>™</sup> Scotchcal <sup>™</sup> Luster Overlaminate 3619			• •			6	•			•	Vinyl	Cast	2	L	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 48, 54, 60; 3	50
3620	3M <sup>™</sup> Scotchcal <sup>™</sup> Matte Overlaminate 3620			• •			6	•			•	Vinyl	Cast	2	М	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 48, 54, 60; 3	50
3645	3M <sup>™</sup> Scotchcal <sup>™</sup> Luster Overlaminate 3645					•	1	• •				Vinyl	Cast	8	L	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 36, 48, 54; 3	50
3647	3M <sup>™</sup> Scotchcal <sup>™</sup> Matte Overlaminate 3647					•	3				•	Vinyl	Cast	19		Transparent	Clear	Pressure-Sensitive	•			48	50
3658G	3M <sup>™</sup> Scotchcal <sup>™</sup> Gloss Overlaminate 3658G			• •	•		9	•		•	•	Vinyl	Cast	2	G	Transparent	Clear	Pressure-Sensitive	•	• •		• 48, 54, 60; 3	50
3660M	3M <sup>™</sup> Scotchcal <sup>™</sup> Matte Overlaminate 3660M			• •	•		9	•		•	•	Vinyl	Cast	2	М	Transparent	Clear	Pressure-Sensitive	•	• •		• 48, 54, 60; 3	50
8048G	3M <sup>™</sup> Envision <sup>™</sup> Gloss Overlaminate 8048G	•	• •	• •	•	•	4	•		•		Non-PVC	Non-Cast	2	G	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 54; 3	50
8050M	3M™ Envision™ Matte Overlaminate 8050M	•	• •	• •	•	•	4	•		•		Non-PVC	Non-Cast	2	М	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 54; 3	50
8418G	3M™ Scotchcal™ Thin Gloss Overlaminate 8418G	•	• • •	•			8	• •	• •	• •		Vinyl	Cast	2	G	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 54; 3	25/50
8508	3M <sup>™</sup> Scotchcal <sup>™</sup> Gloss Overlaminate 8508		• •	• •	•	•	4	•		•		Vinyl	Cast	2.3	G	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 30, 54, 61; 3	50/100
3509	3M <sup>™</sup> Scotchcal <sup>™</sup> Luster Overlaminate 8509		• •	• •	•	• •	4	•		•		Vinyl	Non-Cast	3	L	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 30, 54, 61; 3	50/100
3510M	3M™ Scotchcal™ Matte Overlaminate 8510M		• •	• •	•	•	4	•		•		Vinyl	Non-Cast	3.2	М	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 30, 54, 61; 3	50/100
518	3M <sup>™</sup> Scotchcal <sup>™</sup> Gloss Overlaminate 8518	•	• • •	•			8	• •	• •	• •	•	Vinyl	Cast	2	G	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 54; 3	25/50
519	3M <sup>™</sup> Scotchcal <sup>™</sup> Luster Overlaminate 8519	•	• • • •	• •	• •		8	• •	• •	• •	•	Vinyl	Cast	2	L	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 36, 48.5, 54, 60; 3	25/50/100
3520	3M™ Scotchcal™ Matte Overlaminate 8520	•	• • • •	• •	• •		8	• •	• •	• •	•	Vinyl	Cast	2	М	Transparent	Clear	Pressure-Sensitive	•	• •		• 36, 48.5, 54, 60; 3	25/50/100
3524	3M™ Scotchcal™ Luster Overlaminate 8524				•		7	•		•	•	Vinyl	N/A	2	L	Transparent	Clear	Pressure-Sensitive	•	•	•	• 30,54;3	25/50
3528	3M™ Scotchcal™ Gloss Overlaminate 8528		• •	•			-	• •	• •	• •	•	Vinyl	Cast	2	G	Transparent	Clear	Pressure-Sensitive	•			54, 60	25/50/100
530	3M™ Piezo Inkjet Protective Clear 8530	•	•	•			3	•				N/A	N/A	N/A	L		Clear		•	• •	•	N/A	N/A
8548G	3M™ Envision™ Gloss Wrap Overlaminate 8548G	•	• • •	•	• •	•	9	• •	• •	• •	•	High Perf	formance non	n-PVC 2	G	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 54, 60; 3	25/50/100
3549L	3M™ Envision™ Luster Wrap Overlaminate 8549L	•	• • •	•	• •	•	9	• •	• •	• • •	•   •	High Perf	formance non	n-PVC 2	L	Transparent	Clear	Pressure-Sensitive	•	• •	•	• 54; 3	25/50/100

• • •

8 • • •

8 • • • • • • •

• • •

8600

8900

8914

9740i

9760LX

3M™ Décor Overlaminate 8600

3M<sup>™</sup> Wrap Overlaminate Series 8900

3M™ Screen Print UV Gloss Clear 9740i

3M™ Screen Print UV Gloss Clear 9760LX

3M<sup>™</sup> Scotchcal<sup>™</sup> Optically Clear Overlaminate 8914

3M™ Scotchcal™ Ultra-Matte Overlaminate 8915

. . . . .

• •

•

• • •

Transparent

Transparent

Transparent

Transparent

Clear

Clear

Clear

Clear

Clear

Clear

Optically

Pressure-Sensitive

Pressure-Sensitive

Pressure-Sensitive

Pressure-Sensitive

2.5- G

2 G

2 G

2 UM

N/A G

N/A G

3.5

Vinyl

Vinyl

Vinyl

N/A

N/A

Cast

Cast

Cast

N/A

N/A

\*60" Available in select colors.

25/50

10/50

25

50

N/A

N/A

• • •

• • •

• • •

• • •

• •

• 60;3

• 48, 54; 3

• 49, 54, 60; 3

N/A

N/A

60; 3



#### **GREENGUARD Gold Certified**

Ten 3M™ Envision™ Films and Overlaminates have earned the prestigious GREENGUARD Gold Certification. This certification requires that products meet some of the world's most rigorous third-party testing standards for low emissions of volatile organic compounds into indoor environments.

## 3M products now covered by GREENGUARD Gold Certification are:

3M<sup>™</sup> Envision<sup>™</sup> Print Wrap Films LX480mC and SV480mC

3M<sup>™</sup> Envision<sup>™</sup> Wrap Overlaminates 8548G and 8549L

3M™ Envision™ Print Films 48-20, 48-20R, 48C-20 and 48C-20R

3M<sup>™</sup> Envision<sup>™</sup> Overlaminates 8048G and 8050M

Find the film that's right for your application at 3M.com/Graphics.



Commercial Solutions 3M Center, Building 220-12E-04 St. Paul, MN 55144 USA

Phone 1-800-328-3908 Web 3M.com/Graphics











3M products are designed with our printing partners in mind.

















