

HP Latex cutting solutions

Grow your business by enhancing your HP Latex printer with our unique print AND cut workflow¹



HP FlexiPRINT and CUT RIP

The HP solution—best in its class²

- Cut full bleed stickers that don't shrink or curl when printed with HP Latex Technology
- Enjoy accurate high-speed cutting and cut throughs; LAN connectivity and HP media basket add convenience
- Optimized workflow management from a single point—includes unique software with barcode integration
- Design applications in 3 simple steps—no design skills are needed with HP Signage Suite in box³

True print AND cut

- Print AND cut at the same time—versus print OR cut with solvent—with HP's reliable, dual-device solution
- Cut right away when printing with HP Latex Technology—with no degas time, you can deliver same day
- Quickly deliver short-term print and cut jobs, with no need to laminate scratchresistant HP Latex prints⁴

Easy, reliable workflow

- Print and cut in 5 simple steps—add cut lines from the RIP, predefined cutting presets, easy user interface
- Efficient job recognition and reliable, errorfree cutting—Optical Positioning System and HP Barcode
- Avoid the complexity of other dual devices with a cutting solution designed for your HP Latex printer¹

For more information, please visit hp.com/go/latexprintandcut

Join the community, find tools, and talk to experts. Visit the HP Latex Knowledge Center at hp.com/communities/LKC

¹ The HP FlexiPRINT and CUT RIP is designed for the HP Latex 300 and 100 series printers. For compatibility with other HP Latex printers, a RIP upgrade is required.

² Based on productivity and environmental advantages compared to the leading (per IDC market share numbers, March 2017) and comparably priced solvent-technology-based integrated print and cut solution. HP internal productivity testing performed February 2017. The HP Latex Print and Cut Solution also uses HP Latex inks that meet UL ECOLOGO® Certification to UL 2801, demonstrating that an ink meets a range of multi-attribute, lifecycle based criteria related to human health and environmental considerations (see ul.com/EL).

³ Requires an HP Applications Center account, Internet connection, and connected Internet-capable device. For more information, see http://www.hpapplicationscenter.com.

⁴ You can consider unlaminated use for short-term signage with scratch resistance comparable to hard-solvent inks on self-adhesive vinyl and PVC banner. Scratch-resistance comparison based on testing third generation HP Latex Inks and representative hard-solvent inks. Estimates by HP Image Permanence Lab on a range of media.

Help me choose





	HP Latex 54 Cutting Solution	HP Latex 64 Cutting Solution
Description	Grow with this 54-inch business-ready cutting solution	Expand into wider applications with this 64-inch cutting solution
Maximum cut width	135 cm (53.1 in)	158 cm (62.2 in)
Maximum acceleration	Up to 3G	Up to 3G
Maximum cut speed	Up to 113 cm/sec (44 in/sec) diagonal	Up to 113 cm/sec (44 in/sec) diagonal
Accuracy	0.2% of movement or 0.25 mm, (0.01 in) whichever is greater	
Cut force	0 to 400 grams of downforce, in 5-gram steps	
Cut thickness	0.05 to 0.25 mm (0.002 to 0.01 in); 0.8 mm (0.03 in) with optional sandblast blade	
Connectivity (standard interfaces)	USB and Ethernet (LAN)	
Cutter dimensions (w x d x h)	1750 x 680 x 1145 mm (68.9 x 26.8 x 45.1 in)	1980 x 680 x 1145 mm (77.9 x 26.8 x 45.1 in)
Cutter (shipping) dimensions (w x d x h)	1880 x 480 x 670 mm (74 x 18.9 x 26.4 in)	2110 x 480 x 670 mm (83.1 x 18.9 x 26.4 in)
Cutter weight	48 kg (106 lb)	54 kg (119 lb)
Cutter (shipping) weight	69 kg (152 lb)	78 kg (172 lb)
What's in the box	HP Latex cutter, cutter stand, media basket, HP FlexiPrint and Cut RIP, HP Cutter Control software, quick reference guide, setup poster, documentation software, power cords, standard holder (1), standard blades (2), cut-off knife (1), 3-in media flanges (set of 2)	
Warranty	One-year limited hardware warranty	

Powered by:





Applications



