


Wingspan Series
WS-3360



Spread Your Wings. Enjoy the FREEDOM!
Wingspan 3360

One Size Fits All!

Custom projects come with custom challenges. Which is why you need the 1 product that does it all. Because you only need **21 modules** to illuminate a **5'x10'x6"** cabinet, you can customize your experience. Whether you fabricate hundreds of the same cabinet or build custom pylons, experience true FREEDOM with the High Efficiency Wingspan 3360.




Customize your labor with the most versatile module for cabinet lighting. Maximize spacing for the least amount of labor ever or customize spacing to work around internal structure and varying depths.

Customize your brightness with only 1 module every 2 feet. Space Wingspan 3360 further apart or closer together for desired brightness.

Customize your power by choosing as few or as many modules as your need.

Customize your depth by positioning WS3360 anywhere from 5" – 18" from the face



Wingspan 3360 Spacing Chart	
Depth	MAX Row Spacing
5"	13"
6"	18"
7"	22"
8"	24"
9"	28"
10"-15"	30"

- Super Wide 175° Wingspan Optics
- Wide depth range 5" – 18" from sign face
- Efficacy: 165 lm/w
- 24 vdc
- 7yr Product / 5yr Labor Warranty

Wingspan Series

WS-3360



LM79 LM80 L70:5+ YEARS

Features

- Super Wide 175° Wingspan Lens
- Customizable brightness with wide spacing between mods
- Extremely Wide depth range 5" – 18" from sign face
- Ideal for Single Sided cabinets or 2-bay double sided signs
- Efficacy: 165 lm/w
- 24 vdc
- 24" Max Centers at 8" from face (may vary depending on sign face type)
- 7yr Product / 5yr Labor Warranty
- HanleyPRO Layout Creator at hanleyledsolutions.com


	MAX POWER SUPPLY LOAD						
MODEL	35W 24v	60W 24v	96W 24v	100W 24v	150W 24v	240W 24v	288W 24v
WS-3360	11mods	20mods	32mods	33mods	50mods	80mods	96mods

Specifications

Viewing Angle	175°
Watts	3w/mod Customizable w/ft
Luminous Efficacy	165(lm/W)
Input Voltage	24vDC
Modules/Foot	0.6/ft. fully stretched Customizable up to 1 mod every 2ft
Protection Grade	IP67
Packaging	Anti-static bag, 20 mods (33.3ft)/bag
Warranty	10 Year (Product) / 5 Year (Labor)
Operating Temp.	-25 ~ +60 °C / -13 ~ +140 °F
Storage Temp.	-40 ~ +70 °C / -40 ~ +158 °F
Cascade	20 mods Single-ended Power Feed (pcs) 40 mods Double-ended Power Feed (pcs)

Color	Part#	Color Temp	Lumens
Pure White	HLED-WS3360W24	7000k	495 lm/mod Customizable lm/ft

Light Distribution



Profile Drawings

