# HP PageWide XL 5200 40-in Printer with Top Stacker



Gain efficiency with fast, easy, and cost-effective production



#### Instant delivery of mono and color printouts

- Respond to your customers' requests right away with print speeds up to 20 D/A1 pages/minute.<sup>1</sup>
- Reliable technical prints with HP PageWide XL pigment inks—vivid color, crisp lines, fine detail beat LED.2
- Gain productivity—one device delivers mixed sizes/paper types in 50% of the time, no mono/color collating.3

### Enhanced workflows, added efficiency and security

- The market's largest 15-inch touchscreen<sup>4</sup> makes it easy to operate from the front and the back.
- Save time—manage folder styles, add job separations, detect hidden layers before printing -with HP SmartStream.
- Protect your network with the world's most secure printer<sup>5</sup>—control printer access, create security settings.

### Help cut production costs up to 30%<sup>6</sup>

- Print in monochrome and color with a single HPbranded solution.
- Gain broad control over your printing costs with HP  $Smart Tracker\ software.$
- Up to 10 times lower energy consumption than comparable LED printers.
- Eco-Carton replaces plastic cartridge—80% reduction in plastic and 66% CO2e reduction<sup>8</sup>, free take back.9

### For more information, please visit http://www.hp.com/go/pagewidexl5200

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. More at: http://www.hp.com/go/learnaboutsupplies

The HP PageWide XL 5200 Printer series delivers 20 CAD output D/A1 prints in 1 minute. Number of pages will vary depending on the print mode and application printed.

Based on testing commissioned by HP and performed by Soget in September, 2020. Fine detail based on the number of line breaks found in 1.5 mm of line. On vertical 1 px C,MXK lines. Printed on Oce 75 g plain paper using equivalent fast/high-speed print modes. For output produced with an HP PageWide XL 8200/Sogo printer series and a comparable printers worldwide as of 2019 according to IDC.

Based on testing commissioned by HP and performed by Soget in September, 2020 comparing the HP PageWide XL 8200/SogO Printer series and a comparable competitive printer that represents the majority market share of LED printers worldwide as of 2019 according to IDC. by preparing and printing the job. Test performed by sending 3 copies of a 6-page file combining sizes A0, A1 and plain, coated paper types. Measuring time from clicking "send" button until last page out of the printer. Printed in fast/CAD equivalent print quality mode.

Based on comparison of published front panel specifications commissioned by HP and performed by Sogeti in September, 2020. Comparison of the HP PageWide XL portfolio and competitors that represent the majority market share of LED and UV-gel printers worldwide as of 2019 according to IDC.

Based on comparison of published security specifications commissioned by HP and performed by Sogeti in September, 2020. Comparison of the HP PageWide XL portfolio and competitors that represent the majority market share of LED and UV-gel printers worldwide as of 2019 according to IDC. Comparison matrix and further details available upon request.

Calculation based on total cost of ownership comparison and a comparable competitive printer that represents the majority market share of LED printers worldwide as of 2019 according to IDC. Analysis period of 1 year and assuming a production of 10,500 m²/month with a printing calcegory distribution of 770% l

### Technical specifications

General	
Description	Large-format color MFP or printer
Technology	HP PageWide Technology
Applications	Line drawings; Maps; Orthophotos; Posters
Ink types	Pigment-based (C, M, Y, K)
Ink cartridges	4 (C, M, Y, K)
Cartridge size	1L
Printheads	8 (C, M, Y, K)
Average printhead life	32 L
Printhead warranty	10 L or 12 months
Print resolution	1200 x 1200 dpi
Minimum line width	0.0008 in (HP-GL/2 addressable)
Line accuracy	±0.1% <sup>1</sup>
Print speed	
Maximum print speed	50 ft/min
A1/Arch D/ANSI D (long edge first)	20 pages/min, 1100 pages/hr
AO/Arch E/ANSI E (short edge first)	11 pages/min, 603 pages/hr
Warm-up time	No warm up
First page out	20 sec (from USB)
Media	
Media rolls	2 rolls default with auto-switching, expandable to 4 rolls
Roll size	11 to 40 in
Roll diameter	Up to 7 in
Roll core diameter	3 in
Grammage	19 to 53 lb
Media thickness	Up to 15.7 mil
Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film
Media output (standard)	Top stacker
Media output (optional)	High-capacity stacker
Embedded controller	
Processor	Intel Core i3
Memory	16 GB DDR4
Hard drive	1 x 128 GB SSD, 1 x 500 GB HDD, both self-encrypted with AES-256
Print languages (standard)	HP-GL/2, TIFF, JPEG, Adobe PostScript 3, Adobe PDF 1.7
Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin
Connectivity	
Interfaces	TCP/IP, BootP/DHCP, USB 2.0 host
Printing paths	HP SmartStream software (optional), HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3)
User interface	
User interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen
Dimensions (w x d x h)	
Printer	77 x 30.9 x 55.7 in
Shipping	88.9 x 40.9 x 62.1 in
Weight	
Printer	930 lb
Shipping	1313 lb

Environmental	
Operating temperature	41 to 104ºF
Operating humidity	20 to 80% RH, depending on media type
Acoustics	
Sound pressure	≤60 dB(A) (operating), ≤36 dB(A) (idle), ≤20 dB(A) (sleep)
Sound power	≤7.8 B(A) (operating), ≤5.5 B(A) (idle), ≤3.5 B(A) (sleep)
Power	
Consumption	0.29 kW (typical); 0.9 kW (max printing); 100 W (ready); <1 W (<18 W with embedded Digital Front End) (sleep)
Requirements	Input voltage (auto ranging) 100-127/200-240 V (±10%), 50/60 Hz (±3 Hz), 10/5 A
Certification	
Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC)
Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
Environmental	ENERGY STAR, EPEAT Registered, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine
Warranty	90 days

## **Ordering information**

#### Product 4VW16C

HP PageWide XL 5200 40-in Printer with Top Stacker

HP SmartStream Document Organizer Module HP SmartStream Pixel Analysis Module HP HD Pro 2 42-in Scanner

2NH46AAE 2NH47AAE 5EK00A HP PageWide XL Drawer HP PageWide XL High-capacity Stacker HP PageWide XL Folder Upgrade Kit for Long Plots 8SB02A 8SB03A

8SB09A

8SF70A HP F70 Folder

8SW00AAE

HIP F/O Folder
HP SmartStream USB Preflight Manager
HP SmartStream Preflight Manager
HP SmartStream Print Controller USB for HP PageWide XL 5/6/8000 Printer series
HP SmartStream Print Controller for HP PageWide XL 5/6/8000 Printer series
HP SmartTracker USB for HP PageWide XL 5/6/8000 Printer series
HP SmartTracker USB for HP PageWide XL 5/6/8000 Printer series 8SW04A 8SW04AAE 8SW14A

8SW14AAE 8SW22A

HP Click USB for HP PageWide XL 5000 Printer series HP PageWide XL Top Stacker G6H50B HP SD Pro 44-in Scanner

#### Original HP printing supplies

3ED91A HP 867 1-liter Magenta PageWide XL Ink Cartridge HP 867 1-liter Yellow PageWide XL Ink Cartridge HP 867 1-liter Cyan PageWide XL Ink Cartridge HP 866 1-liter Black PageWide XL Ink Cartridge 3ED92A 3ED94A 3WW73A HP 874/876 PageWide XL Cleaning Container 3WW99A HP 841/874/876 PageWide XL Maintenance Cartridge HP 841/874 PageWide XL Printhead C1019A

#### Original HP large format printing materials

HP Universal Bond Paper, 3-in Core (FSC® certified)<sup>2</sup> (recyclable)<sup>3</sup>
HP Production Matte Poster Paper, 3-in Core (FSC® certified)<sup>2</sup> (recyclable)<sup>3</sup>
HP Production Satin Poster Paper, 3-in Core (FSC® certified)<sup>2</sup> (recyclable)<sup>3</sup>
HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)<sup>2</sup> (recyclable)<sup>3</sup>
HP Matte Polypropylene, 3-in Core

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

### ECO highlights

- ENERGY STAR® 3.0 compliant, less energy; EPEAT® Gold certified/environmentally preferred product<sup>1</sup> Eco-Carton replaces plastic cartridge with 80% reduction in plastic, achieves 66% CO2e reduction<sup>2</sup> Zero landfill—local outer carton recycling, free take-back of inner ink bag and printheads³ Inks are UL ECOLOGO® Certified and verified for Nordic Swan Ecolabeled printing companies⁴

### Please recycle printing hardware and eligible printing supplies. Find out how at our website: $\label{eq:hydro} http://www.hp.com/ecosolutions$

http://www.hp.com/ecosolutions

1 ENERGY STAR 3.0 compliant for less energy use. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. EPEAT Gold as of April, 2021. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

2 CO2e reduction based on moving from plastic ink cartridge to cardboard HP Eco-Carton ink cartridge, with annual manufacturing savings of 36 tons and transport savings of 1 ton. Equivalent to 147,755 km (91,811 miles) driven by an average passenger vehicle or 4,718,692 million smartphones charged.

3 The ink cartridge HP Eco-Carton outer carton is 100% recyclable through local cardboard/paper programs. Inner materials including the ink bag are 55% recyclable and can be returned free of charge to the HP Planet Partners program for reprocessing of plastic parts. Zero landfill. For take-back of link bag/intheads/pinits, visit http://www.hp.com/recycle to see how to participate and for HP Planet Partners program availability; program may not be available in your jurisdiction.

4 For certifications, see http://www.ul.com/EL.



























 $<sup>^1</sup>$  ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment

Of Note printing metricine in each of metricine in least of metric